

Premium Cinema Prime Lens


XEEN

ANAMORPHIC



Meister 14mm T2.6 Meister 24mm T1.3 Meister 35mm T1.3 Meister 50mm T1.3 Meister 85mm T1.3 Anamorphic 50mm T2.3

www.xeenglobal.com



XEEN Meister Main Features

- Unprecedented Resolution
- Fastest T1.3 Full-Frame Cine Prime Lens
- Exceptional background separation
- Compatible with PL, Canon EF, Sony E mount

XEEN Meister Look & Feel











Fastest T1.3 Prime Lens

Superior low-light performance. Capture breathtaking visuals and dramatic moments in challenging lighting conditions

Smooth & Precise Control

Capture crisp details and vibrant colors in fast-moving combat scenes

Higher Resolution & Contrast


Capture bright highlights and deep blacks without losing details or introducing unwated artifacts

Cinematic Look

Cinematic look by creating a pleasing separation between the subject and the background

Technical Data

Model Name		Meister 14mm T2.6	Meister 24mm T1.3	Meister 35mm T1.3	Meister 50mm T1.3	Meister 85mm T1.3
Maximum T-stop		T2.6	T1.3	T1.3	T1.3	T1.3
Image Circle		Ø 43.2mm				
Angle of View	Full-Frame	114.1°	85.0°	64.5°	46.6	28.5°
	Super 35	95.1°	66.3°	44.4°	31.0°	19.0
Focusing Range		∞ to 0.35 m	∞ to 0.35 m	∞ to 0.34 m	∞ to 0.45 m	∞ to 0.80 m
		∞ to 1.18 ft	∞ to 1.18 ft	∞ to 1.14 ft	∞ to 1.57 ft	∞ to 2.75 ft
Front Diameter		Ø 134 mm	Ø 114 mm	Ø 114 mm	Ø 114 mm	Ø 114 mm
Number of Aperture Blades		13	13	13	13	13
Rotation Angle of Focus Ring		300°	300°	300°	300°	300°
Rotation Angle of Aperture Ring		79°	94°	92°	92°	92°
Mount (PL, Canon EF, Sony E)		PL	PL	PL	PL	PL
Size		Ø134.0 x 92.9 mm	Ø128.0 x 122.0 mm	Ø128.0 x 122.0 mm	Ø128.0 x 122.0 mm	Ø128.0 x 122.0 mm
Weight (without lens cap)		1.5 kg / 3.3 lb	2.0 kg / 4.4 lb	1.9 kg / 4.2 lb	2.3 kg / 5.1 lb	1.9 kg / 4.2 lb



XEEN Anamorphic Main Features

- Beautiful Skin Tones and Precise Color Rendition
- Cinematic Bokeh with High Contrast

- Low Distortion for Uncompromised Anamorphic Capture
- 2X Anamorphic: Magnificent & Highly Immersive

XEEN Anamorphic Look & Feel



Cinematic Bokeh

Cinematic bokeh with high

contrast and nice focus fall-off



Beautiful Skin Tones

Beautiful skin tones and precie

color rendition



Low Distortion

Low distortion for uncompromised anamorphic capture



Large Image Field

Large image field for full

freedom in composition



Fast T-stop
Fast T-stop for shallow depth of field

Technical Data

Mode	Name	XEEN Anamorphic 50mm T2.3		
Maximum T-stop		T2.3		
Image Circle		Ø 43.2mm		
Angle of View	Full-Frame	H:68.4° V:26.9°		
Aligie Ol View	Super 35	H:50.0° V:20.5°		
Focusing Range		∞ to 1.0 m		
		∞ to 3.3 ft		
Front Diameter		Ø 114 mm		
Number of Aperture B	lades	15		
Rotation Angle of Foci	us Ring	300°		
Rotation Angle of Ape	rture Ring	89.5°		
Mount		PL		
Size		Ø128.0 x 198.6 mm		
Weight (without lens	cap)	3.9 kg / 8.50 lb		
Squeeze Ratio		2X		
Focus Drive Gear		158 teeth 0.8 metric module x 8.0mm wide x 121mm from the image plane		
Iris Drive Gear		136 teeth 0.8 metric module x 7.0mm wide x 75mm from image plane		

Premium Cinema Prime Lens

XEEN

meister

ANAMORPHIC

www.xeenglobal.com www.lnstagram.com/xeenglobal www.facebook.com/xeenglobal